HSIMC · C0-009-6L · 2026-10-18

Consolidated strategy and expanded TOC / English

From Apps to GenAI Physical Tools

InstantReady Infrastructure for the Ten-Billion-Phone Opportunity

Activate Your Idle Phone for GenAI Work.

The phone is the invitation, not the boundary of the opportunity. Existing assets, authorized work and locally accepted outcomes form one HSIMC infrastructure.

9 Parts 30 Chapters 177 Subsections 9 Appendices

Published independently by HSIMC in the six official languages of the United Nations. This is not a United Nations publication, partnership or endorsement.

https://hsimc.tech/whitepaper/genai-physical-tools/editions/c0-009/en/

HSIMC · C0-009-6L · 1/4

Beyond App Control. Real-World Capability, Under Your Authority.

01 One concrete invitation, a wider productive possibility

Keep the Ten-Billion-Phone Activation Initiative focused on one understandable action: bring an existing phone into a bounded, useful Work. Old-School Assets. New Human Value. explains what that entry can unlock; it is not a competing programme. GSMA estimated 5–10 billion dormant phones in 2025: the title uses the upper end, not a verified population of eligible or authorized MCP servers. Activation creates possible supply and possible new demand, not guaranteed paid work. [S1]

02 MCP makes tools callable; physical readiness remains work

AI has a history beyond contemporary chat products. The official MCP 2026-07-28 revision removes protocol sessions and the initialization handshake and adds server/discover; it does not install power, repair interfaces or confer ownership. Use the date-based name, not an asserted official “MCP 2.0”. Our Sony pilot still uses 2025-11-25: selected battery access and the user's stop-button confirmation are evidence, while new-protocol conformance and stronger client binding remain separate work. [S2, S3, E1]

03 Begin where people live and work

The physical-work question is not where a model runs, but what this person can accomplish here. Check power and its delivery path; networking; interaction, structure and controlled physical action; then the computation, storage, software and models required. A microphone, speaker, old screen, support frame or suitable switch can retain useful value. This is a dependency-first design method, not a claim that digital-only work lacks value or that every asset should be reused.

04 Preserve useful parts; complete only missing conditions

Some devices can expose tools directly; others need a qualified Hub or adapter. Passive cables and structures can be documented dependencies without becoming servers. A two-core low-voltage power segment may be appropriate for a defined configuration, but not every phone interface: USB-C also has configuration-channel requirements. Verify compatibility, device-end voltage, physical fitting, heat, protection and recovery. Reuse a router only within an appropriate security/support boundary; a familiar enclosure is not proof of safe networking. [S4, S5]

05 Human authority is an execution boundary

An application remains useful for accessible approval, visible activity and revocation. Normal Work clients should receive bounded tools, not the ADB or administrator channel used for engineering. Separate device ownership, system permission, client identity, company authority and a particular Work grant. Revocation prevents future access within the implemented route; it cannot undo delivered information or a completed physical action. Motion, heat and other hazardous outputs need local safeguards independent of a model or network.

06 An operating foundation, not a display of private holdings

Supplied documents support the founder's GB 16844—1997 co-drafting and 2015 machine-vision/Industry 4.0 presentation. A supplied license records Shenzhen Elsun IOT Ltd.'s establishment on 5 April 2017; manufacturing Azure/Office 365 service from 2018 remains founder-reported. An InnoSpire agreement records an Advisor role. These support a practical engineering history, not universal company authority, current Microsoft certification or institutional endorsement. Private contracts, identity data, family relations and detailed equity records are not public attachments. [E2]

07 Pannex First: Continuity, Complementarity and Shared Growth

Pannex is neither a disposable procurement source nor the owner of HSIMC. The founder's enduring Chief Digital Officer role, direct relationships with global customers, product engineering, supply-chain collaboration and work alongside established Pannex leadership and teams remain a vital operating foundation. Long-term cooperation, mutual respect and everyday business pressures can coexist as GenAI changes what customers need; this is not evidence of a corporate conflict. Activating existing phones can create practical demand for fit-for-purpose charging and data cables, NFC-enabled gifts, recycled-material accessories and new, authorized continuing services—an opportunity for Pannex as well as HSIMC, not guaranteed revenue. Pannex and related electronics/manufacturing participants, including Jinxingsaien where appropriate, retain their own brands, customer commitments and commercial rights, while HSIMC develops its independent Work and capability-formation infrastructure. Define joint projects, intellectual property, attribution, economics and authority separately. The following pathways are InnoSpire's accessible work participation and Kingsware's locally delivered enterprise AI work. [E2]

08 Tsim Sha Tsui: useful activity in existing space

A selected, authorized room can be studied as Boundary + State + Time: rest, useful work, accessible interaction, storage and restoration. Start with measured needs and reversible configurations; motorized beds or automated storage are later engineering scopes, not already-approved installations. A particular low-cost booking is an observation, not a district price or permission to convert premises. The goal is more accepted activity without degrading rest, access or dignity—not simply a higher room tariff. [E3, S6]

09 Kwun Tong 6K: the next better-supported design decision

The proposed value is a shorter loop from question to specimen, test and interpretation, not cheap production or regulatory arbitrage. An office-equipment-scale fabrication cell can bring selected learning steps closer to researchers; it is not a conventional printer that completes every USB-C product. Use external specialists and existing facilities when appropriate. A successful object or demonstration matters when it resolves a design uncertainty and another operator can repeat the method. No university-wide access or 6K laboratory accreditation is implied. [E3, S7]

HSIMC · C0-009-6L · 4/4

10 Research, exhibition and trade: three decision windows

In research, obtain evidence for the next design decision. During a meeting or exhibition, verify a specified sample while the counterpart can still accept, revise or reject it. In trade, distinguish a product fault from missing operating conditions or changed use, then authorize a remedy or a safe stop. Preserve sample identity, conditions, custody, scope and separate engineering, commercial and regulatory acceptance. Travel observations are not a one-hour service promise; venue and process suitability require confirmation. [E4, S8]

11 A place reference is not a permission

HSIMC's Runtime Map lists 341,843 Hong Kong building reference identities within 356,782 total references. They are not active services or controlled premises. Bind a Work through the authorized room or position, time, device configuration, operator and evidence. InstantReady forms missing conditions; WorkShell/MakeHere support bounded execution; e-Person retains a working identity; AfterMake preserves consequences and continuity. Hong Kong's Super Value-adder narrative becomes a proposed path from international understanding to local evidence and accepted decisions, not official endorsement. [S9, S10]

12 Measure the value; make the next proof reproducible

Measure time to useful evidence, independent-operator success, recurring usefulness and total cost per accepted result. Do not multiply phone and building counts into revenue. Material traceability, retained functionality, work outcomes and environmental benefit are separate claims; GRS does not certify an entire reused node or room. The next bounded proof can connect an authorized Tsim Sha Tsui need, 6K verification and qualified supply, or a defined exhibition question. Publish what changed the decision—including justified rejection—without claiming the whole order as value created. [S11, E3, E4]

C0-008-6L consolidates the 18 October discussions into a leadership synthesis and a revised complete TOC. The 30 chapter identities remain; 30 subsections are added, giving 177. This is not a completed 30-chapter manuscript. Previous six-language and English evidence editions remain available as historical publications.

English is the consolidated source. Other editions are AI-assisted research translations with aligned IDs and scope checks; independent professional language review remains pending. Publication is not device commissioning or authority to execute a proposed pilot.

Parts I

The Opportunity: From Idle Devices to Productive Possibility

01 The Ten-Billion-Phone Opportunity

1.1 Consumer obsolescence versus remaining productive capability

1.2 Dormant phones as distributed starting points—not a centrally owned inventory

1.3 Existing stock, future retirement and alternative AI adoption scenarios

1.4 From estimated devices to eligible nodes, active contributors and accepted work

1.5 The phone-first invitation and the wider existing-asset opportunity

02 From App-Centric Use to Intent-Driven Physical Tools

2.1 The shift from operating an app to requesting a real-world outcome

2.2 Keeping human interfaces while making bounded functions available to AI

2.3 A phone as a sensor, interface, computing resource and physical gateway

2.4 Why useful GenAI participation need not mean running a large model on the phone

2.5 Beyond App Control: from operating applications to authorizing capabilities

03 MCP as an Enabler—not the Complete Production System

3.1 The July 28, 2026 protocol shift and its implications for distributed capabilities

3.2 Discovery, invocation and interoperability across independent implementations

3.3 Stateless protocol interactions, persistent work identities and physical state

3.4 Protocol conformance, device readiness and accepted delivery as separate milestones

3.5 Date-based protocol conformance and the Sony pilot's older baseline

Parts II

Why HSIMC: The Infrastructure Beyond Device Activation

04 HSIMC's Existing Foundation

4.1 From physical-product engineering and modular systems to distributed capability production

4.2 Research trails: multimodal AI, workspaces, capability routing, NFC, vision and Local Edge

4.3 The 356,782 addressable Runtime reference identities: a substrate, not 356,782 executable services

4.4 Connecting existing experiments through shared contracts, evidence and continuity—not starting another isolated platform

4.5 The founder's Pannex operating history, documented engineering record and three distinct application pathways are developed in Chapters 23–30

4.6 Documented enterprises, engineering participation and advisory appointments

05 Every Activated Node Can Supply Capability—and Reveal New Demand

5.1 A participant as capability contributor, work requester and beneficiary

5.2 Task-critical requirements that are local, time-bound and individually specific

5.3 Missing adapters, fixtures, methods, permissions, supervision and operating conditions

5.4 Where catalogue supply, minimum production quantities and lead times cease to fit the work

5.5 Complementing established supply chains with on-demand capability formation

5.6 Task-critical within a Work, heterogeneous across Works, changing with context

06 InstantReady: From Missing Conditions to Usable Capability

6.1 Ready for which Work, where, when and under whose Authority?

6.2 Reuse, adapt, generate, manufacture, validate—or select a different path

6.3 Deliver physically, transmit digitally or form the capability locally

6.4 InstantReady → WorkShell → MakeHere → accepted production and AfterMake continuity

6.5 Measuring time to usable capability—not promising instantaneous physical delivery

6.6 From missing physical conditions to qualified local supply

6.7 Readiness within a decision window, not unconditional instant delivery

Parts III

The Architecture: A Phone and the Reality Beyond It

07 The Phone Is the First Node—not the Boundary of the System

7.1 Native phone capabilities: sensing, display, storage, connectivity and computation

7.2 Reachable external capabilities: USB devices, NFC objects, sensors and authorized network services

7.3 A composed node as a server to one layer and a client or host to another

7.4 Phone → Local Hub → Personal Reality Pod → Team → Company → Community

7.5 Accessible does not mean owned, available, safe or authorized

7.6 Power paths, networks, interaction, structures and controlled physical action

7.7 Building reference to authorized room, device, time and evidenced capability

08 Tools, Resources and Capability Contracts

8.1 MCP Tools: callable functions with explicit inputs, outputs and execution boundaries

8.2 MCP Resources: URI-addressed data and context—not automatic ownership of physical assets

8.3 Representing external equipment, places, materials and expertise through governed interfaces

8.4 Capability manifests: provenance, current state, constraints, dependencies and acceptance evidence

8.5 Selective discovery and contribution without publishing the whole device or every reachable resource

8.6 Brands, trademarks and capability rights: distinct assets and permissions

09 Human Authority as an Operational Boundary

9.1 Ownership, Android permissions, client identity and Work authorization as distinct relationships

9.2 Granting a specific capability for a purpose, duration, usage limit and recipient

9.3 Simple approval, visible activity, accessible revocation and controlled in-flight completion

9.4 Separate maintenance privileges from normal MCP work access

9.5 Local-only, private-group and selectively shared participation—without default global exposure

9.6 No company permission inherited from personal relationships or maintenance access

Parts IV

e-Person: Turning Available Capabilities into Accountable Work

10 A Persistent Working Identity Across Changing Devices

10.1 e-Person as working identity—not a phone, SIM, model session or replacement human

10.2 Addressable Task Roles, assignments and scoped Human Supervision

10.3 Continuity across models, locations, devices and participating organizations

10.4 Replacing a device without losing work history—or silently transferring its authority

10.5 For Me: delegation and accountability, not unlimited ownership

11 From Intent to a Computable Work Graph

11.1 Expressing the intended Reality Delta and the conditions for acceptance

11.2 Resolving available capabilities before generating or sourcing new ones

11.3 Turning missing conditions into bounded child work

11.4 Parallel preparation, physical dependencies and explicit human decision points

11.5 Preserving the work when a tool fails, a node disappears or a model changes

12 Coordinating New Capability Formation

12.1 e-Person-supported discovery, specification, preparation and execution coordination

12.2 Bringing local contributors, manufacturers and professional supervisors into the same Work

12.3 Forming a new tool or resource configuration rather than matching only existing listings

12.4 Evidence → acceptance → reusable capability → the next productive opportunity

12.5 Keep one Work continuous across a user, workshop, supplier and receiving site

Parts V

Global Activation: Bring a Phone, Leave with a Verified Capability

13 A Local Commissioning Network for Global Participation

13.1 Self-service, assisted and professional activation pathways

13.2 Authorized activation stations and ATM-like commissioning kiosks

13.3 Check ownership and device condition; preserve or erase data only as authorized

13.4 Provision, bind, test, explain controls and issue an activation receipt

13.5 A locally delivered service with reusable global engineering methods

14 Multiple Upgrade Routes—not One Universal Reflash

14.1 Installing a bounded MCP-ready application on a supported existing system

14.2 Dedicated-device configuration where the operating system supports it

14.3 Owner-authorized OS replacement or reflashing on eligible devices

14.4 Hub-mediated participation when a phone cannot safely operate independently

14.5 Recovery, rollback, unsupported-device decisions and responsible retirement

14.6 Retain a whole device, reuse a subsystem or integrate through a qualified Hub

15 Making Existing Assets Work Where People Live and Work

15.1 Compatibility by tested capability, device configuration and operating conditions

15.2 Battery condition, power, heat, mounting and sustained operation

15.3 Combining external peripherals, network access and power without assuming compatibility

15.4 Intermittent connectivity, retries, safe stopping and restart behaviour

15.5 Signed updates, repair, vulnerability response and end-of-support decisions

15.6 Stable power and data at the human work position, not merely at the source

15.7 Mechanical fitting, accessible interaction, recoverability and independent safeguards

15.8 Office-scale research fabrication: selected processes, external specialists and verified limits

Parts VI

Evidence and Replication: From One Sony to Independent Field Work

16 The Sony Reference Journey

16.1 Installation failure, recovery and a repeatable development path

16.2 NFC writing and the distinction between user confirmation and independent readback

16.3 USB-glasses preview, the photo-save failure and the remaining capture acceptance

16.4 MCP battery access, one-tap approval and rejection of ungranted tools

16.5 Human-tested revocation, outstanding security tests and lessons transferable to other devices

17 The First Useful Work Templates

17.1 Authorized sample observation and evidence-backed product information

17.2 NFC-based physical-to-digital work handoff

17.3 Local inspection, learning and supervised visual assistance

17.4 For each template: intended outcome, required capabilities, consent, evidence and acceptance

17.5 Progressing from a successful tool call to a result another person can use

17.6 A sample question resolved while the exhibition decision window remains open

17.7 Trade continuity through qualified correction, adaptation or safe discontinuation

18 Reproducibility Before Scale Claims

18.1 Another phone, another operator, another place—the same bounded Work

18.2 Reference cohorts, compatibility matrices and explicit unsupported cases

18.3 Active-grant, revocation, concurrency and protocol-migration test suites

18.4 Distinguishing registry size, installations, active nodes and productive utilization

18.5 An evidence register that preserves failures and prevents unearned readiness claims

18.6 Sample identity, custody, conditions and distinct acceptance objects

Parts VII

The Economy and HSIMC’s Global Kick Off

19 Contribution, Ownership and Economic Participation

19.1 Contributing device capability without surrendering the device or its data

19.2 Attributing tools, software, methods, manufacturing, local work and supervision

19.3 Access terms, usage measurement, acceptance, payment and dispute handling

19.4 Commercial work, research and sponsorship as distinct participation paths

19.5 Open interfaces and reusable knowledge alongside viable operating businesses

19.6 Long-standing operating partnerships and independent contributors: agreed work scope, rights, acceptance and economic participation

20 The Economics of Instant, Individualized Capability

20.1 Cost per accepted outcome—not value inferred from the number of idle phones

20.2 Activation, models, connectivity, energy, maintenance and human support

20.3 When local formation is preferable to remote supply—and when it is not

20.4 Contribution incentives, uneven demand and sustainable local operation

20.5 Demand-creation hypotheses: testing the loop from more usable capability to more useful work

20.6 Useful activity in existing space and shorter research-decision cycles

20.7 Value of timely evidence without attributing the whole transaction to an intervention

21 Shared Prosperity as a Measurable Outcome

21.1 Lowering the entry cost for people, small businesses and local communities

21.2 New work in adaptation, fabrication, supervision, maintenance and teaching

21.3 Accessibility, language, jurisdiction and locally retained economic value

21.4 Privacy, labour quality, power imbalances and the distribution of benefits

21.5 Measuring productive reuse and environmental outcomes without assuming automatic benefits

21.6 Material traceability, functional reuse and measured outcomes—not assumed environmental benefit

22 HSIMC’s Kick Off: From Reference Node to Capability-Formation Infrastructure

22.1 Freeze the accepted seed, close critical gaps and validate the first useful Work

22.2 Recruit independent device owners, engineers, local hosts and work customers

22.3 Pilot activation stations and repeatable commercial or sponsored delivery

22.4 Connect phone nodes to HSIMC Runtime references, InstantReady and e-Person

22.5 Extend beyond phones: new hardware, wearables and composed physical systems

22.6 An invitation to contribute existing Reality—and help form what does not yet exist

22.7 Begin from founder-accessible Hong Kong and Shenzhen sites, detailed in Chapter 29

Parts VIII

Three Long-Standing Pathways to New Human Value: Pannex · InnoSpire · Kingsware

23 Pannex: Global Product Relationships and a New Cycle of GenAI Physical Value

23.1 The founder's enduring Pannex Chief Digital Officer role, global customer relationships, product engineering and supply-chain collaboration—not simply procurement

23.2 Mutual growth potential: activating idle phones creates new uses for qualified charging/data cables, NFC accessories, gifts and continuing services

23.3 Respect and continuity among long-standing Pannex leadership and teams: build on existing roles while adapting to new work

23.4 NFC and recycled-material product experience, plus the founder-confirmed FIFA Women's World Cup 2027 merchandise case—keep merchandise and digital-service rights distinct

23.5 After delivery: owner-authorized product information, accessibility, support and ongoing work; an NFC tap never implies blanket consent

23.6 Separate corporate ownership and authority; shared projects, contributions and upside require Work-specific agreements and accepted results, not guaranteed growth

24 InnoSpire: From Independent Mobility to Participation in Work

24.1 Existing visual-assistance products, HK Tech 300 context and the 2026 public mobility demonstration

24.2 People with visual impairments as contributors, colleagues and customers—not only recipients of assistance

24.3 Phone, smart glasses, accessible interfaces and permissioned human–AI collaboration

24.4 Co-designed tasks, training, human supervision, fair compensation and outcome evidence

24.5 First candidate: an accessible, supervised information task; mobility and employment claims tested separately

25 Kingsware: From AI Employees to Locally Delivered Global Work

25.1 Existing AI digital-employee and enterprise-agent capabilities as an industrial starting point

25.2 HSIMC's proposed contribution: local Reality, supervised delivery, permissioned interfaces and continuity

25.3 e-Person as durable working identity; Kingsware capabilities as separately scoped service contributions

25.4 Forming overseas operating capacity rather than merely translating software or adding a reseller

25.5 Paid work packages, contribution evidence, commercial agreements and staged strategic investment—not free transformation

26 Three Value Loops, One Shared Capability-Formation Infrastructure

26.1 Inclusion supplies new participants; physical products supply entrances; digital employees supply execution capabilities

26.2 A composed example: accessible assistance requested through an NFC object and completed as supervised Work

26.3 Shared contracts without assumed common ownership, management or exclusive dependence

26.4 Measuring value for users, contributors, channel partners, service providers and the initiating infrastructure

26.5 From one accepted result to reusable tools, resources and locally formed new demand

Parts IX

Founder, Hong Kong–Shenzhen Launch Reality and the First Deployable Work

27 About the Founder: A Documented Engineering Lineage

27.1 Benny Liao / Liao Yan: HSIMC founder and hands-on systems builder

27.2 GB 16844—1997: named co-drafter; international alignment, interchangeability, testing and abnormal-condition safety

27.3 Beijing 2015: Machine Vision and Industry 4.0; Nanjing 2016: service-robot development; Chengdu 2017: sensors and networked value

27.4 Established Pannex Chief Digital Officer responsibilities, global clients and supply-chain work; documented InnoSpire Advisor appointment

27.5 Connecting the earlier questions to GenAI-native infrastructure—without treating history as present-day certification

27.6 Shenzhen Elsun IOT Ltd.: documented 2017 establishment and the founder-reported cloud-service path

28 Hong Kong and Shenzhen as a Complementary Launch Base

28.1 Hong Kong: accessible innovation, global communication, commercial relationships and supervised work delivery

28.2 Shenzhen: component access, integration, fixtures, prototypes and capability-supply formation

28.3 Cross-boundary Work: one accepted task with separately identified parties, contributions and responsibilities

28.4 University and science-park settings as practical access contexts—not implied institutional endorsement

28.5 Global value added through deployable capability and continuity, not geographical labels alone

28.6 A capability-completion network for components, integration and cross-border work

28.7 Bilingual understanding translated into testable specifications and accepted decisions

29 Eight Founder-Accessible Starting Locations

29.1 Kwun Tong 6K: a candidate integration and physical-verification work position

29.2 Admiralty, PolyU campus, Wan Chai and Science Park: meetings, accessible research and engineering collaboration

29.3 Mirador Mansion Shop 23 and selected hotel rooms: user-facing entry and a proposed Personal Reality Pod

29.4 Futian Foreign Trade Building 21B: Shenzhen integration and supply coordination

29.5 One site, one responsible host, one bounded Work, one acceptance record before any scaled service claim

29.6 Tsim Sha Tsui and 6K as complementary proposed evidence settings, not an operating network claim

30 From Accessible Premises to Accepted Launch Work

30.1 A first reference site and three company-linked work briefs, not eight simultaneous product rollouts

30.2 Consent, equipment, operators, support, cost and local-use conditions before inviting users

30.3 Activation and recovery trials at an authorized desk; ATM-like self-service remains a later configuration

30.4 Publish evidence and repeat with another operator, device and site

30.5 Progressive manuscript development: freeze the TOC, then release each evidence-backed chapter with its version history

30.6 One bounded decision-window Work, real timing, explicit acceptance and independent replication

Appendices

A Canonical terminology and protocol mapping

B Evidence and source register

C Reference node and capability contract

D Authorized commissioning-station blueprint

E Security and lifecycle acceptance matrix

F Contributor and work-economics templates

G Founder documentary register and publication permissions

H Company relationship, licence and certification boundary register

I Eight-site access, readiness and first-work register

Sources and traceability

English is the consolidated source. Other editions are AI-assisted research translations with aligned IDs and scope checks; independent professional language review remains pending. Publication is not device commissioning or authority to execute a proposed pilot.

[S1] GSMA / MWC · dormant-phone estimate (2025)

[S2] Dartmouth · AI proposal (1955)

[S3] MCP · official 2026-07-28 changes

[S4] Texas Instruments · USB Type-C configuration channel

[S5] Android · USB Host compatibility and permission

[S6] Hong Kong · guesthouse licensing context

[S7] Voltera · selected desktop PCB prototyping processes

[S8] AsiaWorld-Expo · venue rules (event rules also apply)

[S9] HSIMC · Runtime reference scope

[S10] HKSAR Government · Super Connector / Super Value-adder (2025)

[S11] Textile Exchange · RCS/GRS material and chain-of-custody scope

[E1] HSIMC · Sony P0-003 source, accepted local observations and owner report

[E2] Founder-supplied documentary evidence and C0-004 editorial decisions; restricted originals not published

[E3] HSIMC · C0-005 / C0-006 research and owner-reported site observations

[E4] HSIMC · C0-007 decision-window research; proposals, not deployed service levels

C0-008-6L consolidates the 18 October discussions into a leadership synthesis and a revised complete TOC. The 30 chapter identities remain; 30 subsections are added, giving 177. This is not a completed 30-chapter manuscript. Previous six-language and English evidence editions remain available as historical publications.

C0-008-6L · English · C0-002 · English evidence dossier

Consolidated English SHA256
8c938da399bdeddcdfff99dbb2865ab8bbfdd7f385c122b6f1a8ca57a0fda192